使用NFS服務(Mac OS)

網路檔案系統[]NFS[]通常用於Unix和類Unix系統上,如Linux]在Mac上,我們一般推薦使用 SMB或 AFP來 代替,但如果你喜歡,你也可以使用NFS[]相比SMB和AFP的優點是,一旦管理員設置NFS共享,在同一本 地端網路上的任何人都可以共享這一個資料夾,而無需登錄。



當您的系統只能使用NFS服務時,您的私有雲必須和電腦都連接在同一個區域網路中。如 果你不在家,想遠端連線私有雲[]NFS服務並未支援。但你可以使用 WebDAV 操作方式, 雖然傳輸速率會比較慢,還有一些其他的限制。或者你也可以考慮使用 FTP,但如果你不 上傳大量檔案,您只需使用 瀏覽器操作方式[]

設定 NFS 服務

- 1. 使用admin帳號登入裝置中。
- 2. 到「系統設置」中的[]NFS[]項目中開啟。請參考:系統設置>服務>NFS.

	NFS		
	_		
Enable NFS Service (Service is running)			*-
	Host	Read Only	insecure
Add Delete	Save	Refresh	

3. 確認您的 NFS 服務已啟動。

1/4

	NFS	
	Enable NFS Service (Service is running)	+-
	Host Read Only	insecure
	Add Delete Save Refresh	\supset
4.	L	/h
	NFS	

Enable NFS Service (Service is running)		•	j
	Host	Read Only insecure	
Add Delete	Save	Refresh	

5. 選擇您要使用的資料夾,確認後按下「**開啟**]]]

	Select Directory	×
	► HOME	
	DOWNLOAD	
	PUBLIC	
	Upload Image: Second	
	Temporary Items	
	P DEVICES	
		-
	New Folder Open Cancel Refresh	
6.	L 勾選 「insecure」 項目後,按下「Save」完成。	
	NFS	
	Cashle NEO Ossies (Ossies is sussies)	÷
	Enable NFS Service (Service is running)	
	Host Read O 192.168.33.*	nly insecure
	Add Delete Save Refre	sh

連線 NFS

- 1. 在視窗上方的工具列點選「**前往 > 連接伺服器**」項目,或是直接按下鍵盤上的快捷鍵「command + k□□
- 2. 入**nfs://** 裝置的 IP 地址 (例如: 192.168.33.30) 在加上您所分享的資料夾路徑(例 如□/home/Public) 完成後按下「連接□□

	⊖ ⊖ ⊖ C	onnect to Server				
	Server Address:					
	nfs://192.168.33.30/home/Public + 🞯 🔻					
	Favorite Servers:					
	(?) Remove	Browse				
3.	現在你可以在你的Finder中使	用分享的資料夾。如要中斷,直接按下退出小圖示即可。				
	● ○ ○ Public ◀ ▷ ◀ ▷					
	FAVORITES					
	SHARED					
	192.168.33.30 ▲					
		upload				
	server					
	🥥 cloud-landisk					
	🥥 serv					
	myCloudPro					
	je pe-winz					
	DEVICES					

From: http://wiki.myakitio.com/ - **MyAkitio Wiki**

Permanent link: http://wiki.myakitio.com/zh-tw:fm_nfs_mac

Last update: 2013/09/06 07:29

